



TSO SETUP REFERENCE MANUAL

[Index:](#)



ITD TSO SETUP Reference Manual

INDEX


Index:

1. SUPERSESSION LOGON	4
• SUPERSESSION MENU	5
• TSO LOGON SCREEN	6
2. ISPF MENU - SETUP	7
3. ISPF MENU - TSO	8
• USER MENU	9
4. SETUP MAIN MENU	10
S. SETUP CARDS	11
A. ADD A SETUP CARD	13
C. CHANGE A SETUP CARD	15
D. DUP A MEMBER UNDER A NEW NAME	18
I. INQUIRE ON A SETUP CARD	21
L. LIST ALL MEMBER NAMES ON A FILE	24
S. SCRATCH A MEMBER FROM A FILE	26
X. EXIT	28
R. RUN REQUESTS (Incomplete - Work in Progress).....	29
Run Request Field Information –	
RR FIELDS	83
OVERRIDE SECTION	85
A. CREATE A JOB RUN REQUEST FROM SCRATCH	31
B. CREATE A JOB RUN REQUEST FROM A MODEL	35
C. CREATE A JOB COM REQUEST FROM SCRATCH	36
D. CREATE A JOB COM REQUEST FROM A MODEL	37
E. BUILD, CHANGE OR COPY A RUN REQUEST MODEL	38
A. CREATE A NEW MODEL	39
B. CHANGE OLD MODEL	40

C.	COPY AN OLD MODEL	41
F.	BUILD OR CHANGE A FICHE ONLY MODEL	42
A.	CREATE A NEW MODEL	43
B.	CHANGE OLD MODEL	44
G.	LIST ALL RUN REQUEST AND FICHE MODELS	45
H.	INQUIRE ON ONE RUN REQUEST MODEL	46
I.	INQUIRE ON ONE FICHE ONLY MODEL	47
J.	DELETE A MODEL	48
K.	INQUIRE ON PREVIOUSLY CREATED RUN REQUESTS	49
X.	EXIT	50
C.	CATALOG LOOKUP	51
F.	CROSS REFERENCE FILE OR PROGRAMS TO JOBS	57
F.	FILE TO JOB CROSS REFERENCE	59
P.	PROGRAM TO JOB CROSS REFERENCE	61
X.	EXIT	63
J.	JCL INQUIRY FOR A JOB	64
O.	CALCULATE DISK SPACE FOR A FILE	72
P.	BROWSE PROGRAM SOURCE CODE	74
D.	NOTIFY DATA ENTRY OF BATCHES	78
E.	NOTIFY ITD ABOUT SCHEDULE CHANGES	80
X.	EXIT	82
5.	TSO READY PROMPT	86
6.	RECOMMENDED SETTINGS	87
7.	CHANGING PASSWORDS	93

SUPERSESSION LOGON:


[Index:](#)



1. Enter your USER-ID and Password.
(To change your password, see the section on [CHANGING PASSWORDS](#).)
2. Press F3 to exit the Supersession session.

SUPERSESSION MENU:


[Index:](#)



1. Enter an 'S' beside the TSO menu option and press enter.
2. Press F3 to return to the [SUPERSESSION LOGON](#) screen.

TSO LOGON SCREEN:

[Index:](#)




1. Your USER-ID and password will be entered by Supersession.
2. Press enter twice.
3. Press F3 to return to the [SUPERSESSION MENU](#) screen.

NOTE:

- The 'Procedure' line should contain the word '\$SETUP'. If it does not, change it to \$SETUP.
- For people who have authority to use additional TSO options, the 'Procedure' line should contain the word '\$TSUSER'.
- ISPF menu display:
 - For automatic display of the ISPF menu, type ISPF on the 'Command' line at the bottom of the logon screen.
 - For manual display of the ISPF menu, type ISPF at the 'READY' prompt.

ISPF MENU - SETUP:


[Index:](#)



1. Type S and press enter.
2. Press F3 to return to the [TSO Ready Prompt](#).

ISPF MENU - TSO:


[Index:](#)



1. Type **A** and press enter.
2. Press F3 to return to the [TSO Ready Prompt](#).

3. USER MENU:


[Index:](#)



1. S. SETUP has been added to this menu.
2. Type "S" for the option.
3. Press enter.
4. Press F3 to return to [ISPF MENU - TSO](#).

SETUP MAIN MENU:

[Index:](#)




1. Type the letter beside the option you need.
2. Press enter.
3. Press F3 to return to [ISPF MENU - SETUP](#), or [USER MENU](#).

- S. [SETUP CARDS](#)
- R. [RUN REQUESTS](#)
- C. [CATALOG LOOKUP](#)
- F. [CROSS REFERENCE FILE OR PROGRAMS TO JOBS](#)
- J. [JCL INQUIRY FOR A JOB](#)
- O. [CALCULATE DISK SPACE FOR A FILE](#)
- P. [BROWSE PROGRAM SOURCE CODE](#)
- D. [NOTIFY DATA ENTRY OF BATCHES](#)
- E. [NOTIFY ITD ABOUT SCHEDULE CHANGES](#)
- X. [EXIT](#)

SETUP CARDS:

[Index:](#)


1. Member names are assigned by ITD for all setup sheets.
2. Member names ending with 01 (example: A0010101) will automatically be used on the run request without having to notify ITD.
3. Member names ending with anything other than 01 (example: A0010102) will have to be specified in the run request, to notify ITD of the change.



1. Type "S" for the option.
2. Press enter.
3. Press F3 to return to [ISPF MENU - SETUP](#), or [USER MENU](#).

SETUP CARDS (cont):

[Index:](#)




1. Type the letter beside the option you need.
2. Press enter.
3. Press F3 to return to the [SETUP MAIN MENU](#).

- A. [ADD A SETUP CARD](#)
- C. [CHANGE A SETUP CARD](#)
- D. [DUP A MEMBER UNDER A NEW NAME](#)
- I. [INQUIRE ON A SETUP CARD](#)
- L. [LIST ALL MEMBER NAMES ON A FILE](#)
- S. [SCRATCH A MEMBER FROM A FILE](#)
- X. [EXIT](#)

ADD A SETUP CARD:


[Index:](#)



1. Type "A" for the option.
2. Type the dataset suffix in "DATA SET NAME: SETUP."
3. Type the member name in "ENTER MEMBER NAME:"
4. Press enter.
5. Press F3 to return to the [SETUP MAIN MENU](#).

ADD A SETUP CARD (cont):


[Index:](#)



1. Tab down to the lines starting with '.....' and type the information you need in the setup card.
2. When you press enter, the '....' will turn into line numbers.
3. On the '....' or the line numbers you can use the following commands:
 - I Insert a line.
Each time you type something then press enter, another blank line until you press enter from a blank line.
 - R Repeat a line.
 - C Copy a line.
 - D Delete a line.
(Additional line command help can be obtained by pressing F1).
 - COLS - Add a ruler line.
The ruler line is not a permanent part of the file. It will be removed when you save the member, or type RESET on the command line.
 - RESET – On the command line will remove messages, ruler line, etc.
(NOTE – the 'HOME' key will place the cursor on the command line).
4. To cancel changes made, type CANCEL on the command line.
5. Press F3 to SAVE and return to [SETUP CARDS](#) menu.

CHANGE A SETUP CARD:


[Index:](#)



1. Type "C" for the option.
2. Type the dataset suffix in "DATA SET NAME: SETUP."
3. Type the member name in "ENTER MEMBER NAME:"
4. Press enter.
5. Press F3 to return to the [SETUP MAIN MENU](#).

CHANGE A SETUP CARD (cont):


[Index:](#)



1. This screen displays statistical information about the setup member.
2. Type "S" beside the member.
3. Press enter.
4. Press F3 to return to the [SETUP CARDS](#) menu.

CHANGE A SETUP CARD (cont):

[Index:](#)




1. Tab down to the data line and make changes.
2. On the line numbers you can use the following commands:
 - I Insert a line.
Each time you type something then press enter, another blank line until you press enter from a blank line.
 - R Repeat a line.
 - C Copy a line.
 - D Delete a line.
(Additional line command help can be obtained by pressing F1).
 - COLS - Add a ruler line.
The ruler line is not a permanent part of the file. It will be removed when you save the member, or type RESET on the command line.
 - RESET – On the command line will remove messages, ruler line, etc.
(NOTE – the 'HOME' key will place the cursor on the command line).
3. To cancel changes made, type CANCEL on the command line.
4. Press F3 to SAVE and return to [SETUP CARDS](#) menu.

DUP A MEMBER UNDER A NEW NAME:

[Index:](#)


1. One Reason you may want to duplicate a member name is if you wish to request more than one run of a job in one night with two different setup selections. Make the first member A0010101 (for example) and make a member A0010102 (for example) for the second run.
2. Another reason you may want to duplicate a member, is if you have a version you use a lot (example: A0010101), and another version you use occasionally (example: A0010102). This way you don't have to change the first member for the occasional need. You would change A0010102 and let ITD know on the run request to use A0010102 for this run.



1. Type "D" for the option.
2. Type the dataset suffix in "DATA SET NAME: SETUP."
3. Type the member name in "ENTER MEMBER NAME:"
4. Type the new name in "NEW NAME:"
5. Press enter.
6. Press F3 to return to the [SETUP MAIN MENU](#).

DUP A MEMBER UNDER A NEW NAME (cont):


[Index:](#)



1. Tab down to the data line and make changes.
2. On the line numbers you can use the following commands:
 - I Insert a line.
Each time you type something then press enter, another blank line until you press enter from a blank line.
 - R Repeat a line.
 - C Copy a line.
 - D Delete a line.
(Additional line command help can be obtained by pressing F1).
 - COLS - Add a ruler line.
The ruler line is not a permanent part of the file. It will be removed when you save the member, or type RESET on the command line.
 - RESET – On the command line will remove messages, ruler line, etc.
(NOTE – the 'HOME' key will place the cursor on the command line).
3. To cancel changes made, type CANCEL on the command line.
4. Press F3 to SAVE and return to [SETUP CARDS](#) menu.

INQUIRE ON A SETUP CARD:


[Index:](#)



1. Type "I" for the option.
2. Type the dataset suffix in "DATA SET NAME: SETUP."
3. Type the member name in "ENTER MEMBER NAME:"
4. Press enter.
5. Press F3 to return to the [SETUP MAIN MENU](#).

INQUIRE ON A SETUP CARD (cont):

[Index:](#)




The screenshot shows a window titled "Session3 - EXTRM Bundle for TCP/IP". The menu bar includes "File", "Edit", "View", "Tools", "Session", "Options", and "Help". The main display area shows a "MEMBER LIST" for "SETUP.SS". It indicates "Row 00001 of 00001" and "Page 1". A "Command" field contains "S". Below this is a table with columns: "Name", "VV", "HH", "Created", "Changed", "Size", "Init", "Mod", and "ID". The table contains one entry: "A99999001", "01.00", "00/05/08", "00/05/08 09:05", "5", "5", "0", and "EB12". The entry is followed by "**End**". The status bar at the bottom shows "Connected to host ranch.state.nv.us [10.1.2.10] (TCP01021)" and the time "1:32 PM".

Name	VV	HH	Created	Changed	Size	Init	Mod	ID
A99999001	01.00	00/05/08	00/05/08 09:05	5	5	0	EB12	

1. This screen displays statistical information about the setup member.
2. Type "S" beside the member.
3. Press enter.
4. Press F3 to return to the [SETUP CARDS](#) menu.

INQUIRE ON A SETUP CARD (cont):


[Index:](#)



1. This option shows the setup card in “VIEW” mode. No changes can be made.
2. Press F3 to return to [SETUP CARDS](#) menu.

LIST ALL MEMBER NAMES ON A FILE:


[Index:](#)



1. Type "L" for the option.
2. Type the dataset suffix in "DATA SET NAME: SETUP."
3. Press enter.
4. Press F3 to return to the [SETUP MAIN MENU](#).

LIST ALL MEMBER NAMES ON A FILE (cont):

[Index:](#)



The screenshot shows a window titled "Session3 - EXTRA Bundle for TOPAP". The menu bar includes "File", "Edit", "View", "Tools", "Session", "Options", and "Help". Below the menu bar are icons for various functions. The main window displays a "MEMBER LIST" for "SETUP.S5". The list is a table with columns: Name, YY MM, Created, Changed, Size, Init, Mod, and ID. The list contains 20 entries, each starting with a dot and a name like ". A1300101". The status bar at the bottom shows "Connected to host ranch.state.nd.us [10.8.12.10] (TCP00046)", "10/11", and "2:12 PM".


Name	YY MM	Created	Changed	Size	Init	Mod	ID
. A1300101	01.03	99/06/11	99/10/18 14:58	1	1	0	SB325A
. A1350101	02.96	00/05/06	00/05/01 12:24	1	1	0	SS325
. A1400101	01.77	94/09/27	00/05/01 12:25	1	1	0	SS325
. A1410101	01.16	96/06/10	00/01/31 08:38	1	1	0	SS325
. A1410102	01.10	97/08/18	00/01/31 08:38	1	1	0	SS325
. A1450101	02.06	00/06/09	97/12/24 08:56	1	1	0	SS325A
. A1450102							
. A1460101	01.15	96/01/24	00/01/04 11:01	1	1	0	SS325A
. A1470101	01.08	96/02/27	00/01/04 11:02	1	1	0	SS325A
. A1470102	01.00	96/02/27	96/02/27 14:55	1	1	0	SS325A
. A1500101	02.01	00/06/09	00/04/03 09:40	1	1	0	SS325
. A1500102	01.09	94/05/13	99/02/24 09:05	1	1	0	SB325
. A1500103	01.08	94/05/13	99/02/24 09:06	1	1	0	SB325
. A1500104	01.03	98/01/26	98/12/21 14:21	1	1	0	SS325
. A1550101	01.79	00/05/11	99/02/26 10:02	1	1	0	SS325A
. A1550102	01.01	93/09/07	95/03/02 15:36	1	1	0	SS325A
. A1550103							
. A1550104							
. A1550105							

1. A list similar to this one will be displayed.
2. On the command line, the following commands can be used.
 - TOP – move to the top of the list.
 - BOTTOM – move to the bottom of the list.
 - L member – locate a specific member in the list.

(Additional line command help can be obtained by pressing F1).
3. Press F3 to return to [SETUP CARDS](#) menu.

SCRATCH A MEMBER FROM A FILE:


[Index:](#)



1. Type "S" for the option.
2. Type the dataset suffix in "DATA SET NAME: SETUP."
3. Type the member name in "ENTER MEMBER NAME:"
4. Press enter.
5. Press F3 to return to the [SETUP MAIN MENU](#).

SCRATCH A MEMBER FROM A FILE (cont):


[Index:](#)



1. The message "MEMBER DELETED" appears in the upper right corner.
2. Press F3 to return to the [SETUP MAIN MENU](#).

EXIT:

[Index:](#)



1. Enter "X" and enter, or press F3 to return to the [SETUP MAIN MENU](#).